


Amendments to the Claims:

This listing of claims will replace all prior versions,
and listings, of claims in the application:

Listing of Claims:


1. (Original) A fungicidal mixture, comprising
(1) 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-
hydroxypropyl]-2,4-dihydro-[1,2,4]-triazole-3-thione
(prothioconazole) of the formula I or its salts or adducts



and

at least one further fungicidal compound or its salts or
adducts, selected from the group consisting of


- (2) trifloxystrobin of the formula II



(II) (Trifloxystrobin)

and


(3) picoxystrobin of the formula III



(III) (Picoxystrobin)

and


(4) pyraclostrobin of the formula IV



(IV) (Pyraclostrobin)


and

(5) dimoxystrobin of the formula V



and

(6) a strobilurin derivative of the formula VI




in a synergistically effective amount.


2. (Original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and trifloxystrobin of the formula II.
3. (Original) A fungicidal mixture as claimed in claim 1, comprising prothioconazole of the formula I and picoxystrobin of the formula III.

4. (Original) A fungicidal mixture as claimed in claim 1,
comprising prothioconazole of the formula I and pyraclostrobin
of the formula IV.
5. (Original) A fungicidal mixture as claimed in claim 1,
comprising prothioconazole of the formula I and dimoxystrobin
of the formula V.
6. (Original) A fungicidal mixture as claimed in claim 1,
comprising prothioconazole of the formula I and the strobilurin
derivative of the formula VI.
7. (Original) A fungicidal mixture as claimed in claim 1, wherein
the weight ratio of prothioconazole of the formula I to
 - trifloxystrobin of the formula II is from 20:1 to 1:20,
 - picoxystrobin of the formula III is from 20:1 to 1:20,
 - pyraclostrobin of the formula IV is from 20:1 to 1:20,
 - dimoxystrobin of the formula V is from 20:1 to 1:20 and
 - the strobilurin derivative of the formula VI is from 20:1
to 1:20.
8. (Currently Amended) A method for controlling harmful fungi,
which comprises treating the harmful fungi, their habitat or the
plants, seeds, soils, areas, materials or spaces to be kept free


from them with ~~the fungicidal mixture as claimed in claim 1.~~
an anti-fungal effective amount of a compound of formula I




or a salt or adduct thereof and at least one compound of
formulas II, III, IV or V




(3) picoxystrobin of the formula III



(4) pyraclostrobin of the formula IV



(5) dimoxystrobin of the formula V



or a salt or adduct thereof.


9. (Original) A method as claimed in claim 8, wherein the compound of the formula I as set forth in claim 1 and at least one compound of the formula II, III, IV, V or VI as set forth in claim 1 are applied simultaneously, that is together or separately, or in succession.

Claim 10 (Cancelled)


11. (Original) A fungicidal composition, comprising the fungicidal mixture as claimed in claim 1 and a solid or liquid carrier.

12. (New) A method as claimed in claim 8, wherein the compounds are applied to agricultural crop areas in a total amount of from 0.1 to 8 kg/ha.


13. (New) A fungicidal kit for controlling harmful fungi comprising, in separate containers, a compound of formula I



or a salt or adduct thereof, and at least one compound of formula II, IV, IV or V




(3) picoxystrobin of the formula III




(III) (Picoxystrobin)

- (4) pyraclostrobin of the formula IV



(IV) (Pyraclostrobin)

- (5) dimoxystrobin of the formula V



(V) (Dimoxystrobin)

or a salt or adduct thereof.